



180 GlaxoSmithKline Return Goods (Inbound)

Functional Group ID=**AN**

Introduction:

This Draft Standard for Trial Use contains the format and establishes the data contents of the Return Merchandise Authorization and Notification Transaction Set (180) for use within the context of an Electronic Data Interchange (EDI) environment. This transaction set can provide for customary and established business and industry practice relative to the returning of merchandise to the vendor. This transaction set may satisfy request for returns, authorization or disposition of the return, notification of return, or notification of consumer return.

Heading:

	<u>Pos. No.</u>	<u>Seg. ID</u>	<u>Name</u>	<u>Req. Des.</u>	<u>Max.Use</u>	<u>Loop Repeat</u>	<u>Notes and Comments</u>
Must Use	010	ST	Transaction Set Header	M	1		
Must Use	020	BGN	Beginning Segment	M	1		
LOOP ID - N1						200	
	120	N1	Name	O	1		
	130	N2	Additional Name Information	O	2		
	140	N3	Address Information	O	2		
	150	N4	Geographic Location	O	1		

Detail:

	<u>Pos. No.</u>	<u>Seg. ID</u>	<u>Name</u>	<u>Req. Des.</u>	<u>Max.Use</u>	<u>Loop Repeat</u>	<u>Notes and Comments</u>
LOOP ID - BLI						>1	
	010	BLI	Baseline Item Data	O	1		n1
	011	N9	Reference Identification	O	20		
	052	DTM	Date/Time Reference	O	15		
Must Use	230	SE	Transaction Set Trailer	M	1		

Transaction Set Notes

- Quantity is specified either in the BLI segment (BLI03) or in the QTY segment.

Segment: **ST** Transaction Set Header
Position: 010
Loop:
Level: Heading
Usage: Mandatory
Max Use: 1
Purpose: To indicate the start of a transaction set and to assign a control number
Syntax Notes:
Semantic Notes: 1 The transaction set identifier (ST01) is used by the translation routines of the interchange partners to select the appropriate transaction set definition (e.g., 810 selects the Invoice Transaction Set).
Comments:

Data Element Summary

	<u>Ref.</u> <u>Des.</u>	<u>Data</u> <u>Element</u>	<u>Name</u>	<u>Attributes</u>
M	ST01	143	Transaction Set Identifier Code Code uniquely identifying a Transaction Set	M ID 3/3
			180 Return Merchandise Authorization and Notification	
M	ST02	329	Transaction Set Control Number Identifying control number that must be unique within the transaction set functional group assigned by the originator for a transaction set	M AN 4/9

Segment: **BGN** Beginning Segment
Position: 020
Loop:
Level: Heading
Usage: Mandatory
Max Use: 1
Purpose: To indicate the beginning of a transaction set
Syntax Notes: 1 If BGN05 is present, then BGN04 is required.
Semantic Notes: 1 BGN02 is the transaction set reference number.
2 BGN03 is the transaction set date.

Data Element Summary

	<u>Ref. Des.</u>	<u>Data Element</u>	<u>Name</u>	<u>Attributes</u>
M	BGN01	353	Transaction Set Purpose Code Code identifying purpose of transaction set Use '00' for Original Use '02' for Add Refer to 004010 Data Element Dictionary for acceptable code values.	M ID 2/2
M	BGN02	127	Reference Identification Reference information as defined for a particular Transaction Set or as specified by the Reference Identification Qualifier Use Debit Number	M AN 1/30
M	BGN03	373	Date Date expressed as CCYYMMDD Use Debit Date	M DT 8/8

Segment: **N1** Name
Position: 120
Loop: N1 Optional
Level: Heading
Usage: Optional
Max Use: 1
Purpose: To identify a party by type of organization, name, and code
Syntax Notes: 1 At least one of N102 or N103 is required.
 2 If either N103 or N104 is present, then the other is required.
Semantic Notes:
Comments: 1 This segment, used alone, provides the most efficient method of providing organizational identification. To obtain this efficiency the "ID Code" (N104) must provide a key to the table maintained by the transaction processing party.

Data Element Summary

	Ref. Des.	Data Element	Name	Attributes
M	N101	98	Entity Identifier Code Code identifying an organizational entity, a physical location, property or an individual Use 'ST' for Ship To	M ID 2/3
			Refer to 004010 Data Element Dictionary for acceptable code values.	
	N102	93	Name Free-form name	X AN 1/60
	N103	66	Identification Code Qualifier Code designating the system/method of code structure used for Identification Code (67) Use '11' for Qualifier for DEA number Use 'ZZ' for Mutually Defined number	X ID 1/2
			Refer to 004010 Data Element Dictionary for acceptable code values.	
	N104	67	Identification Code Code identifying a party or other code Use Ship To DEA Number Use Buying Party DEA Number (Wholesaler)	X AN 2/80
X	N105	706	Entity Relationship Code Code describing entity relationship Refer to 004010 Data Element Dictionary for acceptable code values.	O ID 2/2
	N106	98	Entity Identifier Code Code identifying an organizational entity, a physical location, property or an individual 2R Federal Facility 80 Hospital An institution where the ill or injured may receive medical treatment QH Physician	O ID 2/3

Segment: N2 Additional Name Information
Position: 130
Loop: N1 Optional
Level: Heading
Usage: Optional
Max Use: 2
Purpose: To specify additional names or those longer than 35 characters in length
Syntax Notes:
Semantic Notes:
Comments:

Data Element Summary

	Ref.	Data	Attributes
	Des.	Element Name	
M	N201	93 Name Free-form name	M AN 1/60
	N202	93 Name Free-form name	O AN 1/60

Segment: N3 Address Information
Position: 140
Loop: N1 Optional
Level: Heading
Usage: Optional
Max Use: 2
Purpose: To specify the location of the named party
Syntax Notes:
Semantic Notes:
Comments:

Data Element Summary

	<u>Ref. Des.</u>	<u>Data Element</u>	<u>Name</u>	<u>Attributes</u>
M	N301	166	Address Information Address information	M AN 1/55
	N302	166	Address Information Address information	O AN 1/55

Segment: **N4** Geographic Location
Position: 150
Loop: N1 Optional
Level: Heading
Usage: Optional
Max Use: 1
Purpose: To specify the geographic place of the named party
Syntax Notes: 1 If N406 is present, then N405 is required.
Semantic Notes:
Comments: 1 A combination of either N401 through N404, or N405 and N406 may be adequate to specify a location.
2 N402 is required only if city name (N401) is in the U.S. or Canada.

Data Element Summary

<u>Ref.</u>	<u>Data</u>	<u>Name</u>	<u>Attributes</u>
N401	19	City Name Free-form text for city name	O AN 2/30
N402	156	State or Province Code Code (Standard State/Province) as defined by appropriate government agency	O ID 2/2
N403	116	Postal Code Code defining international postal zone code excluding punctuation and blanks (zip code for United States)	O ID 3/15

Segment: **BLI** Baseline Item Data

Position: 010

Loop: BLI Optional

Level: Detail

Usage: Optional

Max Use: 1

Purpose: To specify basic item data: item identification, quantity, and price

Syntax Notes:

- 1 If either BLI05 or BLI06 is present, then the other is required.
- 2 If BLI07 is present, then BLI06 is required.

Semantic Notes:

- 1 BLI04, the unit of measure code applies to both quantity, (BLI03) and unit price (BLI06), unless BLI07 is present, in which case BLI04 applies only to BLI03, and BLI07 applies only to BLI06.

Comments:

- 1 Element 235/234 combinations should be interpreted to include products or services. See the Data Element Dictionary for a complete list of IDs.
- 2 BLI01, BLI02, and BLI08 through BLI13 provide for four different product/service IDs for each item. For example: Case, Color, Drawing No., U.P.C. No., ISBN No., Model, SKU.

**** DO NOT TRANSMIT SCHEDULED PRODUCTS –
These are not returned to GlaxoSmithKline**

Data Element Summary

	<u>Ref. Des.</u>	<u>Data Element</u>	<u>Name</u>	<u>Attributes</u>
M	BLI01	235	Product/Service ID Qualifier Code identifying the type/source of the descriptive number used in Product/Service ID (234) Use 'N4' for NDC Number National Drug Code in 5-4-2 Format 5-digit manufacturer ID, 4-digit product ID, 2-digit trade packaging size Refer to 004010 Data Element Dictionary for acceptable code values.	M ID 2/2
M	BLI02	234	Product/Service ID Identifying number for a product or service Use NDC Number	M AN 1/48
	BLI03	380	Quantity Numeric value of quantity Quantity should be either full returns or partials with exact counts for tablets and vials, or percentage of bottle full if syrup. Use BLI04 – measurement code to distinguish full or partial	O R 1/15
	BLI04	355	Unit or Basis for Measurement Code U2 = tablet (for partial returns) – in actual tablet count VI = vial (for partial returns) – in actual vial count ML = syrups and suspensions (for partial returns) – percentage of bottle EA = each (for full return – full bottle, full box, or full tray of vials) Code specifying the units in which a value is being expressed, or manner in which a measurement has been taken Refer to 004010 Data Element Dictionary for acceptable code values.	O ID 2/2
	BLI08	235	Product/Service ID Qualifier Code identifying the type/source of the descriptive number used in Product/Service ID (234) PR Process Number	X ID 2/2
	BLI09	234	Product/Service ID Identifying number for a product or service	X AN 1/48

Segment: **N9** Reference Identification

Position: 011
Loop: BLI Optional
Level: Detail
Usage: Optional
Max Use: 20
Purpose: To transmit identifying information as specified by the Reference Identification Qualifier
Syntax Notes: 1 At least one of N902 or N903 is required.

Data Element Summary

	<u>Ref. Des.</u>	<u>Data Element</u>	<u>Name</u>	<u>Attributes</u>
M	N901	128	Reference Identification Qualifier Code qualifying the Reference Identification Use 'LT' for Lot Number	M ID 2/3
	N902	127	Reference Identification Reference information as defined for a particular Transaction Set or as specified by the Reference Identification Qualifier Use Lot Number	X AN 1/30

Segment: **DTM** Date/Time Reference

Position: 052
Loop: BLI Optional
Level: Detail
Usage: Optional
Max Use: 15
Purpose: To specify pertinent dates and times
Syntax Notes:

- 1 At least one of DTM02 DTM03 or DTM05 is required.
- 2 If DTM04 is present, then DTM03 is required.
- 3 If either DTM05 or DTM06 is present, then the other is required.

Semantic Notes:
Comments:

Data Element Summary

	<u>Ref. Des.</u>	<u>Data Element</u>	<u>Name</u>	<u>Attributes</u>
M	DTM01	374	Date/Time Qualifier Code specifying type of date or time, or both date and time Use '208' for Lot Expiration Date Refer to 004010 Data Element Dictionary for acceptable code values.	M ID 3/3
	DTM02	373	Date Date expressed as CCYYMMDD Use Lot Expiration Date	X DT 8/8

Segment: **SE** Transaction Set Trailer
Position: 230
Loop:
Level: Detail
Usage: Mandatory
Max Use: 1
Purpose: To indicate the end of the transaction set and provide the count of the transmitted segments (including the beginning (ST) and ending (SE) segments)

Syntax Notes:

Semantic Notes:

Comments: 1 SE is the last segment of each transaction set.

Data Element Summary

	<u>Ref.</u> <u>Des.</u>	<u>Data</u> <u>Element</u>	<u>Name</u>	<u>Attributes</u>
M	SE01	96	Number of Included Segments Total number of segments included in a transaction set including ST and SE segments	M N0 1/10
M	SE02	329	Transaction Set Control Number Identifying control number that must be unique within the transaction set functional group assigned by the originator for a transaction set	M AN 4/9